February 9, 2009



#### Organics

#### **VIA CERTIFIED MAIL**

Mary Logan U.S. EPA Region V (SR-6J) 77 W. Jackson Boulevard Chicago, IL 60604-3590

Sheila Abraham
Ohio EPA - NE District Office
Div Of Emergency & Remedial Response
2110 East Aurora Road
Twinsburg, OH 44087

Remedial Response Section Manager Ohio EPA - DERR P O Box 1049 Lazarus Government Center Office 122 South Front Street Columbus, OH 43216-1049

Re: JANUARY 2009 MONTHLY REPORT

RI/FS & REMEDIAL DESIGN & REMOVAL ACTION

**NEASE CHEMICAL SITE** 

SALEM, OHIO

In accordance with Paragraph X E of the Administrative Order by Consent regarding a Remedial Investigation/Feasibility Study (RI/FS) of the Nease Chemical Site in Salem, Ohio, attached is a copy of the January 2009 RI/FS Progress Report. This report also includes the monthly progress report for the remedial design (OU-2) in accordance with Paragraph X of the Administrative Order on Consent, effective as of May 10, 2006.

Additionally, in accordance with Paragraph 14 of the Administrative Order by Consent, signed December 17, 1993, attached is a copy of January Removal Action Progress Report

Sincerely,

Dr Rainer F. Domalski Site Coordinator

Enclosures

CC.

M Hardy/Heidi Goldstein – Thompson Hine Steve Finn – Golder Associates, Inc.

020909

US EPA RECORDS CENTER REGION 5

201 Struble Road, State College, PA 16801 Phone: 814-231-9200; Fax: 814-239-1567

#### NEASE CHEMICAL SITE, SALEM, OHIO REMEDIAL INVESTIGATION/FEASIBILITY STUDY REMEDIAL DESIGN (OU-2) MONTHLY PROGRESS REPORT JANUARY 2009

#### 1. INTRODUCTION

This progress report has been prepared in accordance with Paragraph XE of the Administrative Order of Consent (AOC) regarding a Remedial Investigation/Feasibility Study (RI/FS) and Paragraph X of the Administrative Order on Consent regarding the Remedial Design (RD/OU-2) of the Nease Chemical Site in Salem, Ohio. The report summarizes the major RI/FS and RD actions during the month along with investigation results and any problems encountered in the project. Activities planned for next month are also presented.

#### 2 SUMMARY OF ACTIVITIES PERFORMED

#### 2.1 PROJECT ACTIVITY SUMMARY

The activities that were initiated and/or completed during the month are described. All activities were performed in accordance with the detailed protocol provided in the approved Work Plan.

2.2 FIELDWORK

2.2.1 RI/FS

None.

2.2.2 RD (OU-2)

Golder is currently coordinating sub-slab vapor sampling in a residential home close to the site.

2.3 Reports

2.3.1 RI/FS

The final Record of Decision (ROD) for OU-3 was signed by the agency on September 24, 2008. The agency and ROC will negotiate an ACO for the remedial design phase.

2.3.2 RD (OU-2)

#### Baseline Technical Memorandum Report

- o On January 29, 2009 Golder submitted a proposal for additional mirex surface soil sampling to the agencies for review and approval.
- Completed Vapor Intrusion and response to tech memo comments; under internal review.

o On January 29, 2009 Golder submitted an underground utility map to the agencies.

#### 2 4 MEETINGS

None.

#### 3 VARIATIONS FROM THE APPROVED WORK PLAN

None.

#### 4 RESULTS OF SAMPLING, TESTS AND ANALYSES

Results from sampling events were and will be provided to the agencies in specific reports.

#### **5 PROJECT SCHEDULE**

The current Work Plan schedule identifies completion and target dates for project activities. Those scheduled to occur over the next several months include:

- o Finalize PDI work incl. Technical Memoranda.
- Start Remedial Design Workplan

# 6 DIFFICULTIES ENCOUNTERED AND ACTION TAKEN TO RESOLVE PROBLEMS

No significant difficulties were encountered.

#### **7 PERSONNEL CHANGES**

None

#### 8 ANTICIPATED PROJECT ACTIVITIES FOR FEBRUARY 2009

- Monthly Progress Report January 2008
- RD (OU-2)
  - Baseline Technical Memorandum Report
    - Response to agency recommendations and considerations and for implementation of interim measures for the removal of NAPL at TW06-21.
    - Submit Vapor Intrusion Assessment and Mitigation Report based on agency comments.
    - Submit letters to adjacent property owner's presenting the sampling results and boring logs for monitoring wells installed in their property.
    - Bedrock contour map.

# TABLE 1 NEASE CHEMICAL SITE, SALEM, OHIO RI/FS AND RD (OU-2) SCHEDULE

DATE	TASK/ACTIVITY/DE	LIVERABLE/MILESTONE							
	RI/FS	RD (OU-2)							
	Documentation of the Site Activities through July 31, 2004 can be reviewed in the July 2004 Monthly Progress Report Documentation of the Site Activities from August 1, 2004 through December 31, 2008 can be reviewed in the December 2008 Monthly Progress Report								
Jan. 9, 2009	Submit Mont	hly Progress Report							
Jan 29, 2009		Submit Utility Map Submit Proposal for Additional Mirex surface soil sampling							
Feb 9, 2009	Submit Mont	hly Progress Report							

#### NEASE CHEMICAL SITE, SALEM, OHIO REMOVAL ACTION MONTHLY PROGRESS REPORT JANUARY 2009

#### 1.0 INTRODUCTION

This progress report has been prepared in accordance with Paragraph 14 of the "Order" section of the Administrative Order by Consent (AOC) Docket No. V-W-94-C-212, effective November 17, 1993 regarding a Removal Action for the Nease Chemical Site in Salem, Ohio. The report summarizes the major activities during the month along with investigation results and any problems encountered on the project. Activities planned for next month are also presented.

#### 2.0 SUMMARY OF ACTIVITIES PERFORMED

#### 2.1 PROJECT ACTIVITY

The activities that were initiated and/or completed during this month are described below. Activities were performed in accordance with the Removal Action AOC.

Ohio EPA performed a RCRA Site inspection during this month. The inspection from OEPA was received with a letter dated June 20, 2008.

The following work was performed:

- OEPA approved the tank closure in a letter dated December 24, 2008.
- Golder took an inventory of every container in the warehouse on the Salem Site.
   The waste was classified appropriately non-hazardous/hazardous. The disposal of the waste was performed in January 2009.
- o In the future, the classification of the waste will be handled through Golder, ROC's technical consultant.
- o Several old activated carbon units were scrapped after thorough cleanup.

Also Golder evaluated the performance of the groundwater treatment system and the carbon change-out schedule. Based on the close review of the monthly sampling results, the carbon change-out can be conducted on a 4-month cycle.

#### 2.2 WORK PLAN PREPARATION/REPORTS

None

#### 2.3 FIELDWORK

#### 2.3.1 SITE INSPECTIONS

The results of the monthly site inspection carried out at the site on January 31, 2008 are shown in Attachment 1.

#### 2.3.2 MONTHLY WATER LEVEL MEASUREMENTS

The next water level monitoring in wells will probably occur in February or March 2009 pending on the winter weather.

#### 2.3.3 TREATMENT PLANT OPERATION

The treatment plant operated mostly normal throughout the month.

#### 2.4.1.1 **MEETINGS**

None

#### 3.0 VARIATIONS FROM THE APPROVED REMOVAL ACTION WORK PLAN

None

# 4.0 RESULTS OF INSPECTIONS, ENVIRONMENTAL SAMPLING, TESTS AND ANALYSES

Water monitoring samples were collected from the treatment plant on January 6 and 20, 2008 (Attachments 2 and 3). The January 20 sampling results were not available for this report. Also attached is the second monthly sampling result from December 2008 (Attachment 4) which was not available for last month's report. The next acute/chronic toxicity evaluations will be conducted in February 2009.

#### 5.0 PROJECT SCHEDULE

None.

# 6.0 DIFFICULTIES ENCOUNTERED AND ACTION TAKEN TO RESOLVE PROBLEMS

None

#### 7.0 PERSONNEL CHANGES

None.

#### 8.0 TYPES AND QUANTITIES OF REMOVED MATERIALS

For the period from January 1 through 31, 2009 the following material was removed:

- 15,600 gallons of leachate and/or backwash water were disposed offsite during this month.
- Approximately 200,782 gallons were pumped from Leachate Collection System 1 (LCS-1) (total for LCS-1 =22,390,612 gal).

- 15,022 gallons were pumped from Leachate Collection System 2 (LCS-2) (total for LCS-2 = 1,763,765 gal).
- No water was pumped from Pond 1 (total for the pond = 1,034,375 gallons).
- Approximately 23 pounds of organic compounds were removed during pumping (estimate based on average VOC/SVOC concentrations for each source).

#### 9.0 ANTICIPATED PROJECT ACTIVITIES FOR FEBRUARY 2009

Removal Action activities scheduled for the upcoming month include on-going implementation of the approved Removal Action Work Plan involving:

- Collection of groundwater from the existing collection systems LCS-1, LCS-2 and Pond 1.
- Monthly Progress Report for January 2008

020909

# TABLE 1 NEASE CHEMICAL SITE, SALEM, OHIO REMOVAL ACTION SCHEDULE

DATE	TASK/ACTIVITY/DELIVERABLE/MILESTONE
	Documentation of the Site Activities through July 31, 2004 can be reviewed in the July 2004 Monthly Progress Report Documentation of the Site Activities August 1, 2004 through
	December 31, 2008 can be reviewed in the December 2008
	Monthly Progress Report
Jan. 9, 2009	Submit Monthly Progress Report
Feb. 6, 2009	Submit Monthly Progress Report

## **ATTACHMENT 1**

## RESULTS OF MONTHLY SITE INSPECTION NEASE CHEMICAL SITE, SALEM, OHIO JANUARY 2009

## SITE INSPECTION FORM RUETGERS-NEASE CORPORATION Nease Site, Salem, Ohio

Date of Inspection:	A STATE OF THE STA
Entry Time: 1000 Hes.	Exit Time: 1200 HRS.
Weather: CLOUDY 23°	
Inspector's Name: DENNIS L. LANE	
Inspector's Company: Howells	and Baird, Inc.

#### **INSPECTION RESULTS**

SPECIFIC OBSERVATIONS:

Structures

(Responses: S = Satisfactory U = Unsatisfactory Yes/No Levels Measured in Feet, N/A = Not Applicable)

	Pump	Quick Connect	Water ** Level	Berm Erosion	Visible Leakage
Leachate Collection System 1 (LCS-1)	S	S	6.92	N/A	No
Leachate Collection System 2 (LCS-2)	S	S	12.12	N/A	No
Pond 1 Pumphouse	S	S	9.60	N/A	No
Pond 1 Berm	N/A	N/A	N/A	No	No
Pond 2 Embankment	NA	N/Æ	N/A	No	No
Exclusion Area A Embankment	N/A	N/A	N/A	No	No
Storage Tank	N/A	Š	5.96	N/A	No
Other (specify)	,			•	

SPECIFIC OBSERVATIONS:

Sediment Barriers

Condition of Sediment Barriers

Barrier 1D	Fabric Intact?	By Passing Evident?	Ls Maintenance Necessary?
Sediment Control Structure 1	YES	No	No
Sediment Control Structure 2	YES	No	No
Fabric Barrier 2	YES	No	No
Fabric Barrier 3	YES	No	No
Fabric Barrier 4	YES	No	No
Fabric Barrier 5	YES	No	No
Fabric Barrier 8	YES	No	No
Fabric Barrier 9	YES	No	No
Fabric Barrier 10	YES	No	No
Rock Barrier 1	YES	No	No
Rock Barrier 2	YES	No	No
Pond 7 - North	YES	No	No
Pond 7 - South	YES	No	No

SPECIFIC OBSERVATIONS:

Seeps (if present, use more forms, as necessary)

Seep ID (yr-month-#)	Located on Map	Areal Extent: (ft 2)	Magnitude (flow?, ponding?)
94-7-1	YES	20	NON-FLOWING SEEP
96-8-2	YES	20_	NOH-FLOWING SEEP

Note Seep ID # equal the 'nth' observed seep during the yr-month in question

ADDITIONAL OBSERVATION OR REMARKS:	
Inspector's Name: DENNIS L LANE	
Inspector's Signature: Lane	
Date: 1-31-09	<del></del>

## **ATTACHMENT 2**

## WATER SAMPLING RESULTS – JANUARY 6, 2009 NEASE CHEMICAL SITE, SALEM, OHIO



## **ANALYTICAL REPORT**

SALEM, OHIO SITE

Lot #: A9A070179

Dr. Rainer Domalski

Rutgers Organics Corporation 201 Struble Road State College, PA 16801

TESTAMERICA LABORATORIES, INC.

Kenneth J. Kuzior
Project Manager

ken kuzior@testamericainc com

January 14, 2009



Project Manager 1/14/2009 11 28 AM

#### SAMPLE SUMMARY

#### A9A070179

WO # SZ	AMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
K5H4G K5H4N	001 002	INFLUENT	01/06/09 01/06/09	
MOTE / OV	_			

#### NOTE(S):

- The analytical results of the samples listed above are presented on the following pages
- All calculations are performed before rounding to avoid round-off errors in calculated results
- Results noted as "ND" were not detected at or above the stated limit
- This report must not be reproduced, except in full, without the written approval of the laboratory
- Results for the following parameters are never reported on a dry weight basis color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight

#### Client Sample ID: INFLUENT

#### General Chemistry

Lot-Sample #...: A9A070179-001 Work Order #...: K5H4G Matrix.....: WG

Date Sampled...: 01/06/09 13:00 Date Received..: 01/07/09

						PREPARATION-	PREP
PARAMETER	RESULT	RL	UNITS	METHO	D	ANALYSIS DATE	BATCH #
Nitrate as N	ND	0.10	mg/L	MCAWW	300.0A	01/07/09	9008175
		Dilution Fact	cor: 1				
Nitrite as N	ND	0.10	mg/L	MCAWW	300.0A	01/07/09	9008178
	1	Dilution Fact	or: 1				
Nitrogen, as Ammonia	ND	2.0	mg/L	MCAWW	350.2	01/07/09	9007249
	1	Dılutıon Fact	or: 1				
Total phosphorus	0.1	0.1	mg/L	MCAWW	365.2	01/08/09	9008316
	i	Dilution Fact	or: 1				

#### Client Sample ID: OUTFALL

#### General Chemistry

Lot-Sample #...: A9A070179-002 Work Order #...: K5H4N Matrix.....: WG

Date Sampled...: 01/06/09 13:00 Date Received..: 01/07/09

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Nitrate as N	ND Dili	0.10	mg/L or: 1	MCAWW 300.0A	01/07/09	9008175
Nitrite as N	ND Dili	0.10	mg/L or: 1	MCAWW 300.0A	01/07/09	9008178
Nıtrogen, as Ammonia		2.0 ution Facto	mg/L or 1	MCAWW 350.2	01/07/09	9007249
Total phosphorus	ND Dili	0.1 ation Facto	mg/L or: 1	MCAWW 365.2	01/08/09	9008316

## Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

TAL-4142 (0408)  Client		Property	Man	2000													10	ate					Chal	n of (	retach.	Alumba	<del> </del>	-
			Project Manager  Dr. Rainer Domalski Telephone Number (Area Code)/Fax Number														- 1.	-/	9		Chain of Custody Number 007167							
Address J Jan Col pr		Teleph	Telephone Number (Area Code)/Fax Number  (814) 231- 9200 (814) 238 - 1567  Site Contact Lab Contact An												1-6-09 Lab Number						1 001 201					-		
Rutgers Organics Corp.  Address  201 Struble Road  City State Zip		1 1	(819	4)z	3/-	92	Žoc	7	(81	4)	25	38	- /3	56	7								Pag	je	$\perp$	_ of	1_	_
Crty State Zrp	Code						Lab	Con	tact					J				is (At										-
State College PA Project Name and Location (State)	16801	Carrier	eni	nu l	<u>qn</u>	ب				•			┵	*	- <b>YS</b>	mo	re sp	ace i	s nee	ided)	1	_						
Project Name and Location (State)		Carrier	Wayt	bil <b>i</b> Nun	nber									#	Š								Į					
Salem, Ohio Site	<u></u>													حإ	<u>.</u>			- 1		1							ıctions/	
Contract/Purchase Order/Quote No.				Ma	trix				Coni Pres					4	Phosphore				İ					C	onditio	ons of	Receipt	,
Sample I.D. No and Description (Containers for each sample may be combined on one line)	Date	Time	<i>11</i> 7	Aqueous	88		charass	H2504	HNOS	HC/	NBOH	Zn4c/ NaOH		Nitrate, Nitrite	NHA									· 				_
Influent	1-6-09	1300		X			X							1						<u> </u>			_					_
Outfall	1-6-09	1700		X	_		χ								$\perp$	↓_		$\perp$	1	1		_	_				···	_
Influent	1-6-09	1306		X		<u>L</u>		X			·				1													_
Outfall	1-6-09	1300		X				X										$\perp$										18
													ŀ								]							, 5 of
																												- ~-
																												-
	_																											-
								,																				-
	***															T												-
		-			$\top$										$\top$	$\top$							1					-
-					1										$\top$												•	-
Possible Hazard Identification	<u>.</u>	-	1	ample I	M.			لسمسا	ليسيا	لبيبا		اا								fee n	nav be	asse	essed i	if san	noles a	e retain	ed	-
	Poison B	Unknowi	, [	] Retu	m To	Clien	t		Dispo						ve For	_	<b>A</b>	<b>Yonth</b>			hán 1							
Tum Around Time Required	<b>—</b>				\$			$^{ac}$	Requ	uiren	nents	Sp.	ecity)															
24 Hours 48 Hours 7 Days 14 Day  1. Relinquished By	ys 🗌 21 Days		ner								Δ	А		·,	4	4								4.				
Gerald Wilhelm		Date 1-	6-09		Time 15	· 00			<b>9</b> 0001	V	Y	//	0	/		4.	77	=2	TA	MÉ	MC	1	Ja		W 0	3	000	•)
2. Relinquished By		Date			Time			2. F	<i>Ресеі</i>	y d L	<b>3</b> /	Τ			/	T			7 1				Da	te		Time	•	-
3. Relinquished By		Date		<u> </u>	Time			3 F	Recei	ved I	Ву			-/		+			•				Da	te		Time	,	-
Comments					<del></del> -							•					$\leftarrow$			-			Щ.			1	·	-
																	`											

## **ATTACHMENT 3**

## WATER SAMPLING RESULTS – JANUARY 20, 2009 NEASE CHEMICAL SITE, SALEM, OHIO

(to be reported in March 2009)

## **ATTACHMENT 4**

## WATER SAMPLING RESULTS – DECEMBER 16, 2008 NEASE CHEMICAL SITE, SALEM, OHIO



## ANALYTICAL REPORT

SALEM, OHIO SITE SDG #: 8L17155

Dr. Rainer Domalski

Rutgers Organics Corporation 201 Struble Road State College, PA 16801

TESTAMERICA LABORATORIES, INC.

Kenneth J. Kuzior

Project Manager ken kuzior@testamericainc com Approved for release Kenneth J Kuzior Project Manager 1/20/2009 1 25 PM

January 20, 2009



TestAmerica North Canton 4101 Shuffel Street NW, North Canton, OH 44720 Tel (330)497-9396 Fax (330)497-0772 <a href="https://www.testamericainc.com">www.testamericainc.com</a>



#### **SAMPLE SUMMARY**

8L17155 : A8L170155

<u>WO # 5</u>	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
K4VE3	001	INFLUENT	12/16/08	13:00
K4VGA	002	LGAC	12/16/08	13:00
K4VGG	003	OUTFALL	12/16/08	13:00
K4VTK	004	TRIP BLANK	12/16/08	
K4WN0	005	AGAC 1-2	12/16/08	13:00
K4WN3	006	AGAC F	12/16/08	13:00
NOTE (S)	):			

<sup>-</sup> The analytical results of the samples listed above are presented on the following pages

(Continued on next page)

<sup>-</sup> All calculations are performed before rounding to avoid round-off errors in calculated results

<sup>-</sup> Results noted as "ND" were not detected at or above the stated limit

<sup>-</sup> This report must not be reproduced, except in full, without the written approval of the laboratory

<sup>-</sup> Results for the following parameters are never reported on a dry weight basis color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight

#### SAMPLE SUMMARY

8L17155 : A8L170165

 WO # SAMPLE#
 CLIENT SAMPLE ID
 SAMPLED DATE
 TIME

 K4VJC 001 LGAC
 12/16/08 13:00

#### NOTE(S):

- The analytical results of the samples listed above are presented on the following pages
- All calculations are performed before rounding to avoid round-off errors in calculated results
- Results noted as "ND" were not detected at or above the stated limit
- This report must not be reproduced, except in full, without the written approval of the laboratory
- Results for the following parameters are never reported on a dry weight basis color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight

## Client Sample ID: INFLUENT

#### General Chemistry

Lot-Sample #...: A8L170155-001 Work Order #...: K4VE3
Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08 Matrix..... WG

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
pH (liquid)	8.0		No Units	SW846 9040B	12/17/08	8352450
	Dilı	ution Facto	or: 1			
Total Dissolved Solids	460	10	mg/L	MCAWW 160.1	12/18-12/19/08	8353343
	Dili	ution Facto	or: 1			
Total Suspended Solids	16	4.0	mg/L	MCAWW 160.2	12/18/08	8353129

Dilution Factor: 1

#### Client Sample ID: LGAC

## General Chemistry

Lot-Sample #...: A8L170155-002 Work Order #...: K4VGA Matrix.....: WG

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
pH (liquid)	7.5		No Units	SW846 9040B	12/17/08	8352450
	Dı	lution Fac	ctor: 1			
Total Dissolved Solids	440	10	mg/L	MCAWW 160.1	12/18-12/19/08	8353343
	Di	lution Fac	ctor: 1			
Total Suspended Solids	ND	4.0	mg/L	MCAWW 160.2	12/18/08	8353129
	D:	lution Fa	ator 1			

Dilution Factor 1

#### Client Sample ID: OUTFALL

#### GC/MS Volatiles

Lot-Sample #...: A8L170155-003 Work Order #...: K4VGG1AN Matrix.....: WG

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08 Prep Date....: 12/27/08 Analysis Date..: 12/27/08

Prep Batch #...: 8364151

Dilution Factor: 1 Method.....: SW846 8260B

#### REPORTING PARAMETER RESULT LIMIT UNITS Acetone ND 10 ug/L uq/L Benzene ND 1.0 Bromobenzene ND 1.0 ug/L ug/L Bromochloromethane ND 1.0 ug/L Bromodichloromethane ND 1.0 Bromoform ND 1.0 uq/L Bromomethane ND 1.0 uq/L 2-Butanone 10 ug/L ND n-Butylbenzene ND 1.0 ug/L 1.0 sec-Butylbenzene ND uq/L 1.0 tert-Butylbenzene ND ug/L 1.0 Carbon tetrachloride ND ug/L Chlorobenzene ND 1.0 ug/L Dibromochloromethane ND 1.0 ug/L 1.0 ug/L Chloroethane ND Chloroform ND 1.0 ug/L Chloromethane uq/L ND 1.0 2-Chlorotoluene ND 1.0 uq/L 4-Chlorotoluene ug/L ND 1.0 uq/L 1,2-Dibromoethane ND 1.0 Dibromomethane 1.0 uq/L ND 1,2-Dichlorobenzene ND 1.0 uq/L uq/L 1,3-Dichlorobenzene ND 1.0 1,4-Dichlorobenzene ND 1.0 uq/L Dichlorodifluoromethane 1.0 uq/L ND 1,1-Dichloroethane ND 1.0 ug/L 1.0 1,2-Dichloroethane ug/L ND cis-1,2-Dichloroethene ND 1.0 ug/L trans-1,2-Dichloroethene ND 1.0 ug/L 1.0 1,1-Dichloroethene ND ug/L 1,2-Dichloropropane ND 1.0 ug/L 1,3-Dichloropropane uq/L ND 1.0 2,2-Dichloropropane ND ug/L 1.0 cis-1,3-Dichloropropene ND 1.0 ug/L trans-1,3-Dichloropropene ND 1.0 ug/L 1,1-Dichloropropene ND 1.0 ug/L 1.0 ug/L Ethylbenzene ND Isopropylbenzene ND 1.0 ug/L p-Isopropyltoluene ND 1.0 ug/L

(Continued on next page)

## Client Sample ID: OUTFALL

#### GC/MS Volatiles

Lot-Sample #: A8L170155-003 Work Or	der #: K4VGG1AN	Matrix: WG
-------------------------------------	-----------------	------------

		DEDODMIN	3
PARAMETER	RESULT	REPORTING LIMIT	UNITS
Methylene chloride	ND	1.0	ug/L
n-Propylbenzene	ND	1.0	ug/L
Styrene	ND	1.0	ug/L
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L
Tetrachloroethene	ND	1.0	ug/L
Toluene	ND	1.0	ug/L
1,1,1-Trichloroethane	ND	1.0	ug/L
1,1,2-Trichloroethane	ND	1.0	ug/L
Trıchloroethene	ND	1.0	$\mathtt{ug/L}$
Trichlorofluoromethane	ND	1.0	ug/L
1,2,3-Trichloropropane	ND	1.0	ug/L
1,2,4-Trimethylbenzene	ND	1.0	ug/L
1,3,5-Trimethylbenzene	ND	1.0	ug/L
Vinyl chloride	ND	1.0	ug/L
m-Xylene & p-Xylene	ND	2.0	ug/L
o-Xylene	ND	1.0	ug/L
	PERCENT	RECOVERY	
SURROGATE	RECOVERY	LIMITS	
Dibromofluoromethane	99	(73 - 122	2)
1,2-Dichloroethane-d4	107	(61 - 128	3)
Toluene-d8	90	(76 - 110	))
4-Bromofluorobenzene	83	(74 - 116	5)

#### Client Sample ID: OUTFALL

#### GC/MS Semivolatiles

Lot-Sample #: A8L170155-003 Date Sampled: 12/16/08 13:00	Date Received:	12/17/08	Matrix WG
Prep Date: 12/18/08 Prep Batch #: 8353050	Analysis Date:	12/22/08	
Dilution Factor: 1	Method:	SW846 8270	C
	DECHIM	REPORTING	INITE
PARAMETER Anthracene	RESULT ND	LIMIT 10	UNITS
Benzo(a)anthracene	ND	10	ug/L ug/L
Benzo(b) fluoranthene	ND	10	ug/L
Benzo(k) fluoranthene	ND	10	ug/L
Benzo(ghi)perylene	ND	10	
Benzo(gni)perylene Benzo(a)pyrene	ND	10	ug/L ug/L
	ND	10	- ·
Butyl benzyl phthalate Chrysene	ND	10	ug/L ug/L
Dibenz(a,h)anthracene	ND	10	ug/L
Di-n~butyl phthalate	1.1 J,B	10	ug/L ug/L
1,2-Dichlorobenzene	ND	10	ug/L
1,3-Dichlorobenzene	ND	10	ug/L
1,4-Dichlorobenzene	ND	10	ug/L
Dimethyl phthalate	ND	10	ug/L
Fluorene	ND	10	ug/L
Indeno(1,2,3-cd)pyrene	ND	10	ug/L
2-Methylnaphthalene	ND	10	ug/L
4-Methylphenol	ND	10	ug/L
Naphthalene	ND	10	ug/L
Phenanthrene	ND	10	ug/L
Phenol	ND	10	ug/L
Pyrene	ND	10	ug/L
Phenyl sulfone	ND	2.0	ug/L
3,4-Dichloronitrobenzene	ND	10	ug/L
	PERCENT	RECOVERY	
SURROGATE	RECOVERY	LIMITS	
Nitrobenzene-d5	71	(27 - 111)	
2-Fluorobiphenyl	66	(28 - 110)	
Terphenyl-d14	90	(37 - 119)	
Phenol-d5	69	(10 - 110)	
2-Fluorophenol	67	(10 - 110)	
2,4,6-Tribromophenol	53	(22 - 120)	
NOTE(S):			

J Estimated result Result is less than RL

B Method blank contamination The associated method blank contains the target analyte at a reportable level

#### Client Sample ID: OUTFALL

#### GC Semivolatiles

Lot-Sample #: A8L170155-003 Date Sampled: 12/16/08 13:00 Prep Date: 12/18/08 Prep Batch #: 8353045		12/17/08	Matrix: WG
Dilution Factor: 1	Method:	SW846 8081A	
PARAMETER Methoxychlor	RESULT ND		HITS
SURROGATE Tetrachloro-m-xylene Decachlorobiphenyl	PERCENT RECOVERY 110 133	RECOVERY LIMITS (25 - 142) (10 - 139)	

#### Client Sample ID: OUTFALL

#### TOTAL Metals

Lot-Sample #...: A8L170155-003 Matrix.....: WG

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	1	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch # Aluminum	: 8353017 ND	0.050 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/22/08	K4VGG1AP
Antimony	ND	0.0020 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/19/08	K4VGG1AQ
Arsenic	0.0013	0.0010 Dilution Facto	<b>mg/L</b> r: 1	SW846	6020	12/18-12/19/08	K4VGG1AR
Beryllium	ND	0.0010 Dilution Facto	mg/L r. 1	SW846	6020	12/18-12/22/08	K4VGG1AT
Cadmium	ND	0.0010 Dilution Facto	mg/L r 1	SW846	6020	12/18-12/19/08	K4VGG1AU
Chromium	ND	0.0020 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/19/08	K4VGG1AV
Copper	ND	0.0020 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/22/08	K4VGG1AW
Iron	0.30	0.050 Dilution Facto	<b>mg/L</b> r: 1	SW846	6020	12/18-12/19/08	K4VGG1AX
Lead	ND	0.0010 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/19/08	K4VGG1A0
Nickel	0.026	0.0020 Dilution Facto	<b>mg/L</b> r: 1	SW846	6020	12/18-12/22/08	K4VGG1A1
Silver	ND	0.0010 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/22/08	K4VGG1A2
Thallium	ND	0.0010 Dilution Facto	mg/L r: 1	SW846	6020	12/18-12/19/08	K4VGG1A3
Zinc	0.074	0.010 Dilution Facto	<b>mg/L</b> r: 1	SW846	6020	12/18-12/19/08	K4VGG1A4
Mercury	ND	0.00020 Dilution Facto	mg/L r. 1	SW846	7470A	12/18/08	K4VGG1A5

#### Client Sample ID: OUTFALL

#### General Chemistry

Lot-Sample #...: A8L170155-003 Work Order #...: K4VGG Matrix.....: WG

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
n-Hexane Extractable Material	ND	5.0	mg/L	CFR136A 1664A HEM	12/29/08	8364324
		Dilution Facto	or· 1			
pH (liquid)	7.5	Dilution Facto	No Units	SW846 9040B	12/17/08	8352450
Biochemical Oxygen Demand (BOD)	ND	2	mg/L	MCAWW 405.1	12/17-12/22/08	8352501
		Dilution Facto	or: 1			
Chemical Oxygen Demand (COD)	ND	20	mg/L	MCAWW 410.4	12/18/08	8353254
		Dilution Facto	r 1			
Nitrogen, as Ammonia	ND	2.0 Dilution Facto	mg/L r: 1	MCAWW 350.2	12/26/08	8361261
Total Dissolved Solids	440	10	mg/L	MCAWW 160.1	12/18-12/19/08	8353343
		Dilution Facto	r: 1			
Total Organic Carbon	ND	1	mg/L	SW846 9060	12/19/08	8354312
		Dilution Facto	r 1			
Total Suspended Solids	ND	4.0	mg/L	MCAWW 160.2	12/18/08	8353129
		Dilution Facto	r: 1			
Weak Acid Dissociable Cyanide	ND ≥	0.010	mg/L	SM18 4500-CN-I	12/19/08	8354343
		Dilution Facto	r: 1			

#### Client Sample ID: TRIP BLANK

#### GC/MS Volatiles

Lot-Sample #...: A8L170155-004 Work Order #...: K4VTK1AA Matrix.....: WQ

Prep Batch #...: 8364151

Dilution Factor: 1 Method.....: SW846 8260B

REPORTING
.cone 1.1 U uq/L
zene ND 1.0 ug/L
mobenzene ND 1.0 ug/L
mochloromethane ND 1.0 ug/L
modichloromethane ND 1.0 ug/L
moform ND 1.0 ug/L
momethane ND 1.0 ug/L
utanone ND 10 ug/L
utylbenzene ND 1.0 ug/L
-Butylbenzene ND 1.0 ug/L
t-Butylbenzene ND 1.0 ug/L
bon tetrachloride ND 1.0 ug/L
orobenzene ND 1.0 ug/L
romochloromethane ND 1.0 ug/L
oroethane ND 1.0 ug/L
oroform ND 1.0 ug/L
oromethane ND 1.0 ug/L
hlorotoluene ND 1.0 ug/L
hlorotoluene ND 1.0 ug/L
-Dibromoethane ND 1.0 ug/L
romomethane ND 1.0 ug/L
-Dichlorobenzene ND 1.0 ug/L
-Dichlorobenzene ND 1.0 ug/L
-Dichlorobenzene ND 1.0 ug/L
hlorodifluoromethane ND 1.0 ug/L
-Dichloroethane ND 1.0 ug/L
-Dichloroethane ND 1.0 ug/L
-1,2-Dichloroethene ND 1.0 ug/L
ns-1,2-Dichloroethene ND 1.0 ug/L
-Dichloroethene ND 1.0 ug/L
-Dichloropropane ND 1.0 ug/L
-Dichloropropane ND 1.0 ug/L
-Dichloropropane ND 1.0 ug/L
-1,3-Dichloropropene ND 1.0 ug/L
ns-1,3-Dichloropropene ND 1.0 ug/L
-Dichloropropene ND 1.0 ug/L
ylbenzene ND 1.0 ug/L
propylbenzene ND 1.0 ug/L
sopropyltoluene ND 1.0 ug/L

(Continued on next page)

## Client Sample ID: TRIP BLANK

#### GC/MS Volatiles

Lot-Sample	#:	A8L170155-004	Work Order	I: K4VTK1AA	Matrix	: WQ
------------	----	---------------	------------	-------------	--------	------

		REPORTIN	G
PARAMETER	RESULT	LIMIT	UNITS
Methylene chloride	ND	1.0	ug/L
n-Propylbenzene	ND	1.0	ug/L
Styrene	ND	1.0	ug/L
1,1,1,2-Tetrachloroethane	ND	1.0	${\tt ug/L}$
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L
Tetrachloroethene	ND	1.0	ug/L
Toluene	ND	1.0	ug/L
1,1,1-Trichloroethane	ND	1.0	ug/L
1,1,2-Trichloroethane	ND	1.0	ug/L
Trichloroethene	ND	1.0	ug/L
Trıchlorofluoromethane	ND	1.0	ug/L
1,2,3-Trichloropropane	ND	1.0	ug/L
1,2,4-Trimethylbenzene	ND	1.0	ug/L
1,3,5-Trimethylbenzene	ND	1.0	ug/L
Vinyl chloride	ND	1.0	${\tt ug/L}$
m-Xylene & p-Xylene	ND	2.0	ug/L
o-Xylene	ND	1.0	ug/L
	PERCENT	RECOVERY	
SURROGATE	RECOVERY	LIMITS	
Dibromofluoromethane	104	(73 - 12	2)
1,2-Dichloroethane-d4	105	(61 - 12	8)
Toluene-d8	92	(76 - 11	0)
4-Bromofluorobenzene	80	(74 - 11)	6)

#### NOTE(S):

J Estimated result Result is less than RL

#### Client Sample ID: AGAC 1-2

#### GC/MS Volatiles

Lot-Sample #...: A8L170155-005 Work Order #...: K4WN01AA Matrix..... AA

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08 Prep Date....: 12/19/08 Prep Batch #...: 8357094 Analysis Date..: 12/19/08

Dilution Factor: 2.5 Method..... EPA-2 TO-14A

		REPORTING	
PARAMETER	RESULT	LIMIT	UNITS
Benzene	ND	0.50	ppb(v/v)
Bromodichloromethane	ND	0.50	ppb(v/v)
Bromoform	ND	0.50	ppb(v/v)
Carbon tetrachloride	ND	0.50	ppb(v/v)
Chlorobenzene	ND	0.50	ppb(v/v)
Dibromochloromethane	ND	0.50	ppb(v/v)
Chloroethane	ND	0.50	ppb(v/v)
Chloroform	ND	0.50	ppb(v/v)
1,2-Dibromoethane (EDB)	ND	0.50	ppb(v/v)
Dibromomethane	ND	1.0	ppb(v/v)
1,2-Dichlorobenzene	0.78	0.50	ppb (▼/▼)
1,3-Dichlorobenzene	ND	0.50	ppb(v/v)
1,4-Dichlorobenzene	ND	0.50	ppb(v/v)
Dichlorodifluoromethane	ND	0.50	ppb(v/v)
1,1-Dichloroethane	ND	0.50	ppb(v/v)
1,2-Dichloroethane	ND	0.50	ppb(v/v)
cis-1,2-Dichloroethene	ND	0.50	ppb(v/v)
trans-1,2-Dichloroethene	ND	0.50	ppb(v/v)
1,1-Dichloroethene	ND	0.50	ppb(v/v)
1,2-Dichloropropane	ND	0.50	ppb(v/v)
cis-1,3-Dichloropropene	ND	0.50	ppb(v/v)
trans-1,3-Dichloropropene	ND	0.50	ppb(v/v)
Ethylbenzene	ND	0.50	ppb(v/v)
Cumene	ND	1.0	ppb(v/v)
n-Propylbenzene	ND	1.0	ppb(v/v)
Styrene	ND	0.50	ppb(v/v)
1,1,2,2-Tetrachloroethane	ND	0.50	ppb(v/v)
Tetrachloroethene	ND	0.50	ppb(v/v)
Toluene	ND	0.50	ppb(v/v)
1,1,1-Trichloroethane	ND	0.50	ppb(v/v)
1,1,2-Trichloroethane	ND	0.50	ppb(v/v)
Trichloroethene	ND	0.50	ppb(v/v)
Trichlorofluoromethane	ND	0.50	ppb(v/v)
1,2,3-Trichloropropane	ND	1.2	ppb(v/v)
1,3,5-Trimethylbenzene	ND	0.50	ppb(v/v)
Vinyl chloride	ND	0.50	ppb(v/v)
m-Xylene & p-Xylene	ND	0.50	ppb(v/v)
o-Xylene	ND	0.50	ppb(v/v)
	PERCENT	RECOVERY	
SURROGATE	RECOVERY	LIMITS	_
4-Bromofluorobenzene	101	(70 - 130	)

#### Client Sample ID: AGAC F

#### GC/MS Volatiles

Lot-Sample #...: A8L170155-006 Work Order #...: K4WN31AA Matrix....... AA

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08 Prep Date.....: 12/19/08 Analysis Date..: 12/19/08

Prep Batch #...: 8357094

Dilution Factor: 2.5 Method..... EPA-2 TO-14A

		REPORTIN	IG
PARAMETER	RESULT	LIMIT	UNITS
Benzene	0.98	0.50	ppb (▼/▼)
romodichloromethane	ND	0.50	ppb(v/v)
omoform	ND	0.50	ppb(v/v)
rbon tetrachloride	ND	0.50	ppb(v/v)
lorobenzene	ND	0.50	ppb(v/v)
romochloromethane	ND	0.50	ppb(v/v)
loroethane	ND	0.50	ppb(v/v)
oroform	ND	0.50	ppb(v/v)
?-Dibromoethane (EDB)	ND	0.50	ppb(v/v)
oromomethane	ND	1.0	ppb(v/v)
2-Dichlorobenzene	1.6	0.50	ppb(v/v)
3-Dichlorobenzene	ND	0.50	ppb(v/v)
-Dichlorobenzene	ND	0.50	ppb(v/v)
chlorodifluoromethane	ND	0.50	ppb(v/v)
-Dichloroethane	ND	0.50	ppb(v/v)
2-Dichloroethane	ND	0.50	ppb(v/v)
s-1,2-Dichloroethene	26	0.50	ppb (v/v)
ns-1,2-Dichloroethene	ND	0.50	ppb(v/v)
-Dichloroethene	ND	0.50	ppb(v/v)
-Dichloropropane	ND	0.50	ppb(v/v)
-1,3-Dichloropropene	ND	0.50	ppb(v/v)
ns-1,3-Dichloropropene	ND	0.50	ppb(v/v)
ylbenzene	ND	0.50	ppb(v/v)
ene	ND	1.0	ppb(v/v)
opylbenzene	ND	1.0	ppb(v/v)
yrene	ND	0.50	ppb(v/v)
1,2,2-Tetrachloroethane	ND	0.50	ppb(v/v)
trachloroethene	3.6	0.50	ppb (▼/▼)
luene	0.54	0.50	ppb(v/v)
,1-Trichloroethane	ND	0.50	ppb(v/v)
,2-Trichloroethane	ND	0.50	ppb(v/v)
ichloroethene	0.60	0.50	ppb ( <b>v/v</b> )
ichlorofluoromethane	ND	0.50	ppb(v/v)
2,3-Trichloropropane	ND	1.2	ppb(v/v)
3,5-Trimethylbenzene	ND	0.50	ppb(v/v)
nyl chloride	2.3	0.50	ppb(v/v)
Kylene & p-Xylene	ND	0.50	ppb(v/v)
Kylene	ND	0.50	ppb(v/v)
	PERCENT	RECOVERY	
RROGATE	RECOVERY	LIMITS	
romofluorobenzene	100	(70 - 13	0)

#### Client Sample ID: LGAC

#### GC/MS Volatiles

Lot-Sample #...: A8L170165-001 Work Order #...: K4VJC1AA Matrix.....: WG

Date Sampled...: 12/16/08 13:00 Date Received..: 12/17/08 Prep Date....: 12/21/08 Analysis Date..: 12/21/08

Prep Batch #...: 8357339

Dilution Factor: 1 Method.....: SW846 8260B

		REPORTIN	IG
PARAMETER	RESULT	LIMIT	UNITS
Acetone	ND ´	10	ug/L
Benzene	ND	1.0	ug/L
Bromobenzene	ND	1.0	ug/L
Bromochloromethane	ND	1.0	ug/L
Bromodichloromethane	ND	1.0	ug/L
Bromoform	ND	1.0	ug/L
Bromomethane	ND	1.0	ug/L
2-Butanone	ND	10	ug/L
n-Butylbenzene	ND	1.0	ug/L
sec-Butylbenzene	ND	1.0	ug/L
tert-Butylbenzene	ND	1.0	ug/L
Carbon tetrachloride	ND	1.0	ug/L
Chlorobenzene	ND	1.0	ug/L
Dibromochloromethane	ND	1.0	ug/L
Chloroethane	ND	1.0	ug/L
Chloroform	ND	1.0	ug/L
Chloromethane	ND	1.0	ug/L
2-Chlorotoluene	ND	1.0	${ t ug/L}$
4-Chlorotoluene	ND	1.0	ug/L
1,2-Dibromoethane	ND	1.0	ug/L
Dibromomethane	ND	1.0	ug/L
1,2-Dichlorobenzene	1.6	1.0	ug/L
1,3-Dichlorobenzene	ND	1.0	ug/L
1,4-Dichlorobenzene	ND	1.0	ug/L
Dichlorodifluoromethane	ND	1.0	ug/L
1,1-Dichloroethane	ND	1.0	ug/L
1,2-Dichloroethane	ND	1.0	ug/L
cıs-1,2-Dıchloroethene	ND	1.0	ug/L
trans-1,2-Dichloroethene	ND	1.0	ug/L
1,1-Dichloroethene	ND	1.0	ug/L
1,2-Dichloropropane	ND	1.0	ug/L
1,3-Dichloropropane	ND	1.0	ug/L
2,2-Dichloropropane	ND	1.0	ug/L
cıs-1,3-Dichloropropene	ND	1.0	ug/L
trans-1,3-Dichloropropene	ND	1.0	ug/L
1,1-Dichloropropene	ND	1.0	ug/L
Ethylbenzene	ND	1.0	ug/L
Isopropylbenzene	ND	1.0	ug/L
p-Isopropyltoluene	ND	1.0	ug/L

(Continued on next page)

## Client Sample ID: LGAC

#### GC/MS Volatiles

Lot-Sample #: A8L170165-001 Work Order #: K4VJC1AA Matrix
---

		REPORTING	3
PARAMETER	RESULT	LIMIT	UNITS
Methylene chloride	ND	1.0	ug/L
n-Propylbenzene	ND	1.0	ug/L
Styrene	ND	1.0	ug/L
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L
Tetrachloroethene	ND	1.0	ug/L
Toluene	ND	1.0	ug/L
1,1,1-Trichloroethane	ND	1.0	ug/L
1,1,2-Trichloroethane	ND	1.0	ug/L
Trichloroethene	ND	1.0	ug/L
Trichlorofluoromethane	ND	1.0	ug/L
1,2,3-Trichloropropane	ND	1.0	ug/L
1,2,4-Trimethylbenzene	ND	1.0	ug/L
1,3,5-Trimethylbenzene	ND	1.0	ug/L
Vinyl chloride	ND	1.0	ug/L
m-Xylene & p-Xylene	ND	2.0	ug/L
o-Xylene	ND	1.0	ug/L
	PERCENT	RECOVERY	
SURROGATE	RECOVERY	LIMITS	
Dibromofluoromethane	94	(73 - 122	<u> </u>
1,2-Dichloroethane-d4	95	(61 - 128	;)
Toluene-d8	102	(76 <b>-</b> 110	))
4-Bromofluorobenzene	99	(74 - 116	5)

## Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

TAL-4142 (0408)																									<del>-</del> -			
Client		Project Manager											Date							Chain of Custody Number 001457								
Address Organics C	Telent	Dr. Raines Domalski Telephone Number (Area Code) Fax Number											12-16-08							001457								
Address 201 Struble Road City State Zp		(814) 231-9200 (614) 238-1567											Lub (40)/IDG/							P	age}	of ]						
City State Zip	Code	Site C					Lab	Cont	act	•/_		<u> </u>	1	• (				tysis					_		1			
State College PA Project Name and Location (State)	16801	De	nn	<b>y</b> i	an	e							┵			<del></del>	more	spa	CO I	s ne	ede	<i>d)</i>						
			Carner/Waybill Number						#4					<u>_</u>	-	- 1	M		ł	1				als				
Salem, Ohio Site Contract/Purchase Order/Quote No.		_					-						4	4	$\mathbf{k}$		9		너,		丑		퓔	Z			Instructions/	
Contract/Putchase Order/Cutote No.				Matrix					Containers & Preservatives					ĕ	BP	ğ	Ž.	200	Ŋ٠	0 = 6	깇	व्र	Syanide	1	1	Condition	s of Receipt	
Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	AW	Aquecus	8 3	8	Unpres	H2SO4		_	NaOH			755,705,	~	SVOC	Pesticides		7	9	HN GO		Ú	I con & Metals				
Influent	12-16-08	1300		X			X							f :	2													•
LGAC 2-3	12-16-08	1300		X		_	X		$\perp$	_			$\perp$	-	2		1	1	1	1	1	_	_					
Outfall	12-16-08	1300		X	_	_	X		4	_	_	_	$\perp$	1 3	2	2	2	1	-	$\downarrow$	4	4			_	·····		
LGAC 2-3	12-16-08	1300	ļ	X	_		<b> </b>		-			-	_	4	$\dashv$	$\downarrow$		_	3	4	4	-	_			<del> </del>		73
Outfall	17-16-08	1300		X			1_			X		$\perp$			_		1	1	3	_	$\perp$	┙		_ \				of O
Outfall.	12-16-08	1300	L	X	$\perp$	$\perp$	$oldsymbol{\perp}$	X											4	2	1	2						ינ
outfall	12-16-08	1300		X		$\perp$					X		_	$\bot$			$\perp$			1			1	_	_			,
Outfall	12-16-08	1300		X		$\perp$	<u> </u>		X	$\perp$		_	1	_	_		$\perp$		_	_	1	_	_	1				
																					1							
								ľ		ľ	İ		1	ł							1		İ					
							T													T						<u>.                                    </u>		
			ļ							$\dashv$				T							7							
Possible Hazard Identification	_			ample	Disp	osal	٠						1						,		'A fe	e ma	ıv be		 18556	d if samples are	retained	
	Poison B	Unknow	<i>n</i> [	] Re	tum Ta	Clie	nt		ispos.					rchiv	19 F	×			onth					mor				
Turn Around Time Required  24 Hours 48 Hours 7 Days 14 Da	um	s 🗌 01	thar.					QC I	Requi	irem	ents	(Spec	city)															
1. Relinquished By	lys 21 Days	Date			Time	<del></del>		1.8	ЭСӨТИ	ed E	7V-	_									_		_			Date , i	Time	
Gerald Wilhelm		1	-16-	-08		50	0		ne.		ζ.	W	10	H (	) ,		2								1	12/17/18	1020	
2. Relinquished By		Date	1.7		Time		(		eceiv		y '	, , \		The same of the sa	_	<del>-7</del> _	<del></del>				_				1	Date	Time	
3. Relinquished By		. Date			Time			2.0	eceiv	10d 1	21.														Д,	Date	Time	
3. Namiyulsiled ay		Dale			1,1176	,		J. 74	CCEIV	<del>u</del> u E	y .														1	/aic	י אוווי <i>ו</i>	
Comments		<u></u>			i			<u> </u>																	<u> </u>			

#### **SAMPLE SUMMARY**

8L17155 : A8L170155

<u>WO #</u>	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
K4VE3	001	INFLUENT	12/16/08	13:00
K4VGA	002	LGAC	12/16/08	13:00
K4VGG	003	OUTFALL	12/16/08	13:00
K4VTK	004	TRIP BLANK	12/16/08	
K4WN0	005	AGAC 1-2	12/16/08	13:00
K4WN3	006	AGAC F	12/16/08	13:00

#### NOTE(S):

(Continued on next page)

<sup>-</sup> The analytical results of the samples listed above are presented on the following pages

<sup>-</sup> All calculations are performed before rounding to avoid round-off errors in calculated results

<sup>-</sup> Results noted as "ND" were not detected at or above the stated limit

<sup>-</sup> This report must not be reproduced, except in full, without the written approval of the laboratory

<sup>-</sup> Results for the following parameters are never reported on a dry weight basis color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight